5

10

15

20

25

30

## Claims

- 1) Nucleic acid encoding a 75 kD Lawsonia intracellularis protein or a part of said nucleic acid that encodes an immunogenic fragment of said protein, said nucleic acid or said part thereof having at least 90 %, preferably 92 %, more preferably 94 %, even more preferably 96% homology with a nucleic acid having a sequence as depicted in SEQ ID NO: 1
- 2) Nucleic acid encoding a 27 kD Lawsonia intracellularis protein or a part of said nucleic acid that encodes an immunogenic fragment of said protein, said nucleic acid or said part thereof having at least 90 %, preferably 92 %, more preferably 94 %, even more preferably 96% homology with a nucleic acid having a sequence as depicted in SEQ ID NO: 3
- 3) Nucleic acid encoding a 62 kD Lawsonia intracellularis protein or a part of said nucleic acid that encodes an immunogenic fragment of said protein, said nucleic acid or said part thereof having at least 90 %, preferably 92 %, more preferably 94 %, even more preferably 96% homology with a nucleic acid having a sequence as depicted in SEQ ID NO: 5
- 4) Nucleic acid encoding a 57 kD Lawsonia intracellularis protein or a part of said nucleic acid that encodes an immunogenic fragment of said protein, said nucleic acid or said part thereof having at least 90 %, preferably 92 %, more preferably 94 %, even more preferably 96% homology with a nucleic acid having a sequence as depicted in SEQ ID NO: 7
- 5) Nucleic acid encoding a 74 kD Lawsonia intracellularis protein or a part of said nucleic acid that encodes an immunogenic fragment of said protein, said nucleic acid or said part thereof having at least 90 %, preferably 92 %, more preferably 94 %, even more preferably 96% homology with a nucleic acid having a sequence as depicted in SEQ ID NO: 9
- 6) Nucleic acid encoding a 44 kD *Lawsonia intracellularis* protein or a part of said nucleic acid that encodes an immunogenic fragment of said protein, said nucleic acid or said part thereof having at least 90 %, preferably 92 %, more preferably 94

5

10

15

20

30

- %, even more preferably 96% homology with a nucleic acid having a sequence as depicted in SEQ ID NO: 11
- 7) Nucleic acid encoding a 43 kD Lawsonia intracellularis protein or a part of said nucleic acid that encodes an immunogenic fragment of said protein, said nucleic acid or said part thereof having at least 90 %, preferably 92 %, more preferably 94 %, even more preferably 96% homology with a nucleic acid having a sequence as depicted in SEQ ID NO: 13
- 8) Nucleic acid encoding a 26/31 kD Lawsonia intracellularis protein or a part of said nucleic acid that encodes an immunogenic fragment of said protein, said nucleic acid or said part thereof having at least 90 %, preferably 92 %, more preferably 94 %, even more preferably 96% homology with a nucleic acid having a sequence as depicted in SEQ ID NO: 15
- 9) Nucleic acid encoding a 101 kD Lawsonia intracellularis protein or a part of said nucleic acid that encodes an immunogenic fragment of said protein, said nucleic acid or said part thereof having at least 90 %, preferably 92 %, more preferably 94 %, even more preferably 96% homology with a nucleic acid having a sequence as depicted in SEQ ID NO: 17
- 10) DNA fragment comprising a nucleic acid according to claims 1-9.
- a DNA fragment according to claim 10, under the control of a functionally linked promoter.
  - 12) Live recombinant carrier comprising a nucleic acid according to claims 1-9, a DNA fragment according to claim 10 or a recombinant DNA molecule according to claim 11.
- 25 13) Host cell comprising a nucleic acid according to claims 1-9, a DNA fragment according to claim 10, a recombinant DNA molecule according to claim 11 or a live recombinant carrier according to claim 12.
  - 14) A 75 kD Lawsonia intracellularis protein, said protein comprising an amino acid sequence that is at least 90 %, preferably 92 %, more preferably 94 %, even more preferably 96 % homologous to the amino acid sequence as depicted in SEQ ID NO: 2, or an immunogenic fragment of said protein.

5

10

15

20

30

- 15) A 27 kD Lawsonia intracellularis protein, said protein comprising an amino acid sequence that is at least 90 %, preferably 92 %, more preferably 94 %, even more preferably 96 % homologous to the amino acid sequence as depicted in SEQ ID NO: 4, or an immunogenic fragment of said protein.
- 16) A 62 kD Lawsonia intracellularis protein, said protein comprising an amino acid sequence that is at least 90 %, preferably 92 %, more preferably 94 %, even more preferably 96 % homologous to the amino acid sequence as depicted in SEQ ID NO: 6, or an immunogenic fragment of said protein.
  - 17) A 57 kD Lawsonia intracellularis protein, said protein comprising an amino acid sequence that is at least 90 %, preferably 92 %, more preferably 94 %, even more preferably 96 % homologous to the amino acid sequence as depicted in SEQ ID NO: 8, or an immunogenic fragment of said protein.
  - 18) A 74 kD Lawsonia intracellularis protein, said protein comprising an amino acid sequence that is at least 90 %, preferably 92 %, more preferably 94 %, even more preferably 96 % homologous to the amino acid sequence as depicted in SEQ ID NO: 10, or an immunogenic fragment of said protein.
  - 19) A 44 kD Lawsonia intracellularis protein, said protein comprising an amino acid sequence that is at least 90 %, preferably 92 %, more preferably 94 %, even more preferably 96 % homologous to the amino acid sequence as depicted in SEQ ID NO: 12, or an immunogenic fragment of said protein.
  - 20) A 43 kD Lawsonia intracellularis protein, said protein comprising an amino acid sequence that is at least 90 %, preferably 92 %, more preferably 94 %, even more preferably 96 % homologous to the amino acid sequence as depicted in SEQ ID NO: 14, or an immunogenic fragment of said protein.
- 25 21) A 26/31 kD Lawsonia intracellularis protein, said protein comprising an amino acid sequence that is at least 90 %, preferably 92 %, more preferably 94 %, even more preferably 96 % homologous to the amino acid sequence as depicted in SEQ ID NO: 16, or an immunogenic fragment of said protein.
  - 22) A 101 kD Lawsonia intracellularis protein, said protein comprising an amino acid sequence that is at least 90 %, preferably 92 %, more preferably 94 %, even more

WO 2005/070958

5

10

25

PCT/EP2005/000562

- preferably 96 % homologous to the amino acid sequence as depicted in SEQ ID NO: 18, or an immunogenic fragment of said protein.
- 23) Lawsonia intracellularis protein according to claim 14-22 for use in a vaccine.
- 24) Use of a Lawsonia intracellularis protein according to claim 14-22 for the manufacturing of a vaccine for combating Lawsonia intracellularis infections.
- 25) Vaccine for combating Lawsonia intracellularis infections, characterised in that it comprises a nucleic acid according to claims 1-9, a DNA fragment according to claim 10, a recombinant DNA molecule according to claim 11, a live recombinant carrier according to claim 12, a host cell according to claim 13 or a protein according to claims 14-22, and a pharmaceutically acceptable carrier.
- 26) Vaccine according to claim 25, characterised in that it comprises an adjuvant.
- 27) Vaccine according to claim 25 or 26, characterised in that it comprises an additional antigen derived from a virus or micro-organism pathogenic to pigs or genetic information encoding said antigen.
- 28) Vaccine according to claim 27, characterised in that said virus or micro-organism pathogenic to pigs is selected from the group of Pseudorabies virus, Porcine influenza virus, Porcine parvo virus, Transmissible gastro-enteritis virus, Rotavirus, Escherichia coli, Erysipelothrix rhusiopathiae, Bordetella bronchiseptica, Salmonella cholerasuis, Haemophilus parasuis, Pasteurella multocida, Streptococcus suis, Mycoplasma hyopneumoniae, Brachyspira hyodysenteriae and Actinobacillus pleuropneumoniae.
  - 29) Vaccine for combating *Lawsonia intracellularis* infections, characterised in that it comprises antibodies against a protein according to claims 14-22.
  - 30) Method for the preparation of a vaccine according to claims 25-29, said method comprising the admixing of a nucleic acid according to claim 1-9, a DNA fragment according to claim 10, a recombinant DNA molecule according to claim 11, a live recombinant carrier according to claim 12, a host cell according to claim 13, a protein according to claim 14-22, or antibodies against a protein according to claim 14-22, and a pharmaceutically acceptable carrier.

WO 2005/070958 PCT/EP2005/000562

49

31) Diagnostic test for the detection of antibodies against *Lawsonia intracellularis*, characterised in that said test comprises a protein or a fragment thereof as defined in claim 14-22.

32) Diagnostic test for the detection of antigenic material of *Lawsonia intracellularis*, characterised in that said test comprises antibodies against a protein or a fragment thereof as defined in claim 14-22.

5